	Туре	L#	Hite	Search Text	DBs
1	BRS	L1	1096	(data adj model) and ((relationship near9 (database or table)) or ER\$2 or (entity near relationship))	EPO; JPO; DERWENT;
2	BRS	L2	127	1 and child same node	UBMATPBUS-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	4	2 and (foreign adj key) and ((key or record or row) near (ID\$2 or identifier or identification))	ゆぬれ や配S-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	49	1 and (foreign adj key) and ((key or record or row) near (ID\$2 or identifier or identification))	BMAT PBJS-PGPUB; EPO; JPO; DERWENT;
5	BRS	L5	24	4 and (foreign adj key) same attribute	関 始 れで限ら-PGPUB; EPO; JPO; DERWENT;
6	BRS	L6	12	4 and (foreign adj key) near9 attribute	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
7	BRS	L7	2	6 and attribute near9 ((key or record or row) near (ID\$2 or identifier or identification))	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
8	BRS	L8	12	6 and ((key or record or row) near (ID\$2 or identifier or identification))	DOMENT; BUS-PGPUB; EPO; JPO; DERWENT;
9	BRS	L9	10	8 and link\$4 same table	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
10	BRS	L10	5	8 and link\$4 near9 table	UBAPATPBIS-PGPUB; EPO; JPO; DERWENT;
11	BRS	L13	2	7 and child and node and tree	DBMPATPBUS-PGPUB; EPO; JPO; DERWENT;
12	BRS	L12	3	11 and child and node and tree	DEMPATORUS-PGPUB; EPO; JPO; DERWENT;
13	BRS	L11	11	8 and link\$4	UBSMPATPBUS-PGPUB; EPO; JPO; DERWENT;
14	BRS	L14	69	1 and (data adj model) same tree	LESPLATORUS-PGPUB; EPO; JPO; DERWENT;
15	BRS	L15	37	14 and child and node	LESPECTORUS; EPO; JPO; DERWENT;

02/20/2003, EAST Version: 1.03.0002

	Туре	L#	Hit	Search Text	DBs
16	BRS	L16	28	14 and child same node	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	BRS	L17	28	16 and link\$4	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
18	BRS	L18	8	16 and link\$4 near9 table	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
19	BRS	L19	16	17 and (webpage or website or web-site or web-page or (web adj (site or page)))	脚絡が見る。 EPO; JPO; DERWENT;
20	BRS	L20	269	1 and (webpage or website or web-site or web-page or (web adj (site or page)))	UBAPATPBUS-PGPUB; EPO; JPO; DERWENT;
21	BRS	L21	42	20 and child same node	UBBATPBUS-PGPUB; EPO; JPO; DERWENT;
22	BRS	L22	12	21 and link\$4 near9 table	UBAPATPBUS-PGPUB; EPO; JPO; DERWENT;
23	BRS	L23	27	21 and child same node same tree	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
24	BRS	L24	10	23 and link\$4 near9 table	UBBPATPBJS-PGPUB; EPO; JPO; DERWENT;

	Туре	L#	н	Search Text	DBs
26	BRS	L26	57	(hyperlink or hyper-link or ((hypertext or hyper-text) adj link)) and (foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	7	identification)) 26 and (child same node same tree) and link\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;
28	BRS	L28	8	26 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	DESPATPBUS-PGPUB; EPO; JPO; DERWENT;
29	BRS	L29	382	(hyperlink or hyper-link or ((hypertext or hyper-text) adj link) or link\$5) and (foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or identification))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	28	29 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
31	BRS	L31	497	(foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or identification))	USPATPBUS-PGPUB; EPO; JPO; DERWENT;
32	BRS	L32	503	(foreign adj key) and (((primary or record) adj key) or (record or key) adj (ID\$2 or identifier or identification))	UBAPATPBUS-PGPUB; EPO; JPO; DERWENT;
33	BRS	L33	70	32 and (hyperlink or hyper-link or hypertext or hyper-text) and unix!	UBMPATPBUS-PGPUB; EPO; JPO; DERWENT;
34	BRS	L34	46	33 and link\$5 with table	UBAPATPBUS-PGPUB; EPO; JPO; DERWENT;
35	BRS	L36	6	35 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	US AT PUS-PGPUB; EPO; JPO; DERWENT;
36	BRS	L35	46	34 and attribute	UBAPATPBIS-PGPUB; EPO; JPO; DERWENT;
37	BRS	L37	35	35 and link\$5 near9 table	USPATOBUS-PGPUB; EPO; JPO; DERWENT;
38	BRS	L38	2	37 and (hyperlink or hyper-link or hypertext or hyper-text) same ((foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or	USPATPUS-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	L#	н	Search Text	DBs
39	BRS	L39	2	(hyperlink or hyper-link or hypertext or hyper-text) same ((foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L40	2	39 and link\$5 near4 table	USPAT; US-PGPUB; EPO; JPO; DERWENT;
41	BRS	L41	39	(hyperlink or hyper-link or hypertext or hyper-text) same ((foreign adj key) or ((primary adj key) or (record or key) adj (ID\$2 or identifier or identification)))	DSPATPBIS-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L42	1	41 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
43	BRS	L43	14	41 and link\$5 near4 table	LESPEATPEUS-PGPUB; EPO; JPO; DERWENT;
44	BRS	L44	121	(hyperlink or hyper-link or hypertext or hyper-text) and ((foreign adj key) and ((primary adj key) or (record or key) adj (ID\$2 or identifier or identification)))	LPSMEATPBUS-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L46	7	45 and link\$5 near4 table	USPAT; US-PGPUB; EPO; JPO; DERWENT;
46	BRS	L45	15	44 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	BOMENT, BUS-PGPUB; EPO; JPO; DERWENT;
47	BRS	L47	22	44 and (child near9 node) and (hierarch\$6 or structure or tree)	LESPEATPBUS-PGPUB; EPO; JPO; DERWENT;
48	BRS	L48	15247	(hyperlink or hyper-link or hypertext or hyper-text)	LESPEATPBUS-PGPUB; EPO; JPO; DERWENT;
49	BRS	L49	390	48 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	LBSPATPBIS-PGPUB; EPO; JPO; DERWENT;
50	BRS	L50	49	49 and link\$5 near2 table	LESPATPEUS-PGPUB; EPO; JPO; DERWENT;
51	BRS	L51	5110	(hyperlink or hyper-link)	DBAPATOBUS-PGPUB; EPO; JPO; DERWENT;
52	BRS	L52	147	51 and (child near9 node) and (node near5 (hierarch\$6 or structure or tree))	DEMPATPBUS-PGPUB; EPO; JPO; DERWENT;

	Туре	L#	н	Search Text	DBs
53	BRS	L53		52 and link\$5 near2 table	USPAT; US-PGPUB; EPO; JPO; DERWENT;
54	BRS	L54	6	identifier or identification)))	EPO; JPO; DERWENT;
55	BRS	L55	6	, , , , , , , , , , , , , , , , , , , ,	EPO; JPO; DERWENT;
56	BRS	L56	3		UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;

	Туре	L#	Hi	Search Text	DBs
1	BRS	L2	908	(data adj model) and ((relationship near6 table!) or ER\$2 or (entity adj2 relationship))	EPO; JPO; DERWENT;
2	BRS	L3	200	2 and child and node	関 始 れで取ら-PGPUB; EPO; JPO; DERWENT;
3	BRS	L4	6	3 and (record adj (ID\$2 or identifier or identification)) and (foreign adj key) and (attribute or column or field) and (table or relation)	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	11	2 and (record adj (ID\$2 or identifier or identification)) and (foreign adj key) and (attribute or column or field) and (table or relation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L7	89	3 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L8	5	7 and ((record or key) adj (ID\$2 or identifier or identification)) and (foreign adj key)	関めれて見る。PGPUB; EPO; JPO; DERWENT;
7	BRS	L9	97	2 and child same node	UBBATPBUS-PGPUB; EPO; JPO; DERWENT;
8	BRS	L10	58	9 and 707/\$.ccls.	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;
9	BRS	L11	3	10 and ((record or key) adj (ID\$2 or identifier or identification)) and (foreign adj key)	UBSPATPBUS-PGPUB; EPO; JPO; DERWENT;

	Туре	L#	Hits	Search Text	DBs
1	BRS	L1	2681	child adj3 node	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	BRS	L2	66	1 and link\$5 adj2 table	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	12	2 and (foreign adj key) same attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	1678	link\$5 adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	L5	36	4 and tables! and (record adj (identifier or identification or ID\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L6	16	5 and ((data adj model) or ER\$2 or (entity near relation\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT;